

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2209	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:44
L2	51	1 and @ad<"20030416" and @pd>"20071028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:45
L3	1106	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:45
L4	41	L3 and @ad<"20030416" and @pd>"20071028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:45
L5	524	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:45
L6	20	L5 and @ad<"20030416" and @pd>"20071028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:45
L7	314	713/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:46
L8	5	L7 and @ad<"20030416" and @pd>"20071028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:46
L9	64	(SUNDARAM near RAVI) (MILLIKEN near WALTER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:46

L10	7	L9 and unauthorized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 16:46
S104	23	hash\$4 with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:20
S105	82	hash\$4 same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:23
S106	28	S105 and ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:23
S107	15	S106 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:24
S108	433	address near2 request\$4 same return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:34
S109	5	S108 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:34
S110	39	dynamic\$5 with ip adj address same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:35
S111	15	S110 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:35
S113	48	request\$4 near2 ip adj address same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:42

S114	28	S113 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:43
S115	1309	dynamic\$5 with ip adj address with allocat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:56
S116	0	S115 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:57
S117	126	S115 and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:57
S118	83	S117 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 10:57
S119	3282	dynamic\$5 with ip adj address with assign\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:05
S120	374	S119 and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:06
S121	158	S120 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:06
S122	157	S121 and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:06
S123	86	S121 and time with request \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:06

S124	9	S119 same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:07
S125	1	"6687755".pn. and hash\$4 same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:13
S126	0	dynamic\$5 with ip adj address with (assign\$5 allocat\$5) same function with return adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:16
S127	0	dynamic\$5 with ip adj address with (assign\$5 allocat\$5) same function with return\$3 adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:16
S128	4169	dynamic\$5 with ip adj address with (assign\$5 allocat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:16
S129	64	S128 and hash\$4 near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:17
S130	35	S129 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:17
S131	10	DHCP with hash\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 12:49
S132	21	DHCP same hash\$4 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:15
S133	8	S132 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:16

S134	48	(generat\$4 allocat\$4 assign\$4) near3 ip adj address with hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:22
S135	25	S134 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:22
S136	0	time adj dependent adj2 address same ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:45
S137	26	time adj dependent same ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 13:45
S138	85	hash\$4 with mac adj address with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:05
S139	30	S138 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:05
S140	17	time near vary\$4 with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:08
S141	104	hash\$4 with time with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:12
S142	50	S141 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:12
S143	4	hash\$4 with time same dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:18

S144	67	hash\$4 with time with (choos\$4 select\$4 assign \$4 allocat\$4) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:22
S145	44	S144 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:22
S146	25	time near (dependent vary \$4) with ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:26
S147	12	S146 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:26
S148	842	block with ip adj address with (assign\$4 allocat\$5 select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 15:32
S149	10	S148 same (hash\$4 mod moular modulus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 15:33
S150	10	S148 same (hash\$4 mod modular modulus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 15:33
S151	53	(CIRD (classless adj inter adj domain adj routing)) with (assign\$4 allocat\$5 select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 15:39
S152	32	S151 and @ad< "20030416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 15:39

4/ 14/ 08 4:47:32 PM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\10826897-1.wsp